

## Inhomogeneous phases of the Gross-Neveu model with a finite number of flavors

*среда, 11 ноября 2020 г. 12:00 (30)*

We present some recent results on inhomogeneous phases and baryons in the 1+1-dimensional Gross-Neveu model at finite temperature and finite chemical potential. It is known, that in the large  $N_f$ -limit the system shows an inhomogeneous condensate at low temperature and large chemical potential. We address the question whether a breaking of translation invariance is also seen for finite  $N_f$ , when quantum fluctuations are not suppressed. Results for  $N_f = 8$  and  $N_f = 2$  are presented. The simulation results indicate that many qualitative features of the solution for large  $N_f$  are rediscovered for finite  $N_f$ . The talk is based on two recent works in collaboration with L. Panullo and M. Wagner from Frankfurt and with J. Lenz and B. Wellegehausen from Jena.

**Primary author(s)** : Prof. WIPF, Andreas (FS-University Jena); Prof. WAGNER, Marc (University Frankfurt); Dr WELLEGEHAUSEN, Bjoern (FS University Jena); Mr LENZ, Julian (FS University Jena); Mr PANULLO, Laurin (University Frankfurt)

**Presenter(s)** : Prof. WIPF, Andreas (FS-University Jena)

**Session Classification** : Session 5: Inhomogeneous phases in strongly interacting matter

**Track Classification** : Inhomogeneous phases in strongly interacting matter